

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p>2646</p> <p>Accredited to ISO/IEC 17025:2005</p>	Eurotest	
	Issue No: 007	Issue date: 06 July 2009
	5-15 Sanders Road Finedon Road Industrial Estate Wellingborough Northamptonshire NN8 4NL	Contact: Mr A Craggs Tel: +44 (0)1933 229431 Fax: +44 (0)1933 229155 E-Mail: enquiries@eurotest.co.uk Website: www.eurotest.co.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code				
<table border="0"> <tr> <td>Address</td> <td>Local contact</td> </tr> <tr> <td>5-15 Sanders Road Finedon Road Industrial Estate Wellingborough Northamptonshire NN8 4NL</td> <td>Mr A Craggs</td> </tr> </table>	Address	Local contact	5-15 Sanders Road Finedon Road Industrial Estate Wellingborough Northamptonshire NN8 4NL	Mr A Craggs	Testing of aggregates, concrete and soils for civil engineering purposes.	A
Address	Local contact					
5-15 Sanders Road Finedon Road Industrial Estate Wellingborough Northamptonshire NN8 4NL	Mr A Craggs					

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All site locations suitable for the activities listed.	Sampling and testing of aggregates and fresh concrete and in situ density of soils for civil engineering purposes	B



2646
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Eurotest

Issue No: 007 Issue date: 06 July 2009

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Particle size distribution	BS EN 933-1:1997	A
	Flakiness index	BS EN 933-3:1997	A
	Water content by drying in a ventilated oven	BS EN 1097-5:1999	A
	Resistance to fragmentation by the Los Angeles Method	BS EN 1097-2:1998	A
	Sample reduction using a riffle box	BS EN 932-2:1999	A & B
	Sample reduction by quartering	BS EN 932-2:1999	A & B
	Sampling from stockpiles	BS EN 932-1:1996	B
CONCRETE - hardened	Compressive strength of cubes - including curing	BS EN 12390-1:2000 BS EN 12390-2:2000 BS EN 12390-3:2009	A
	Density	BS EN 12390-7:2009	A
CONCRETE - fresh	Sampling fresh concrete on site	BS EN 12350-1:2000	B
	Slump	BS EN 12350-2:2009	B
	Making and curing specimens for strength tests	BS EN 12390-2:2000	A & B
	Air content – water column method	BS EN 12350-7:2009	B
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377:Part 2:1990	A
	Liquid limit - cone penetrometer	BS 1377:Part 2:1990	A
	Plastic limit	BS 1377:Part 2:1990	A
	Plasticity index and liquidity index	BS 1377:Part 2:1990	A



2646

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Eurotest

Issue No: 007 Issue date: 06 July 2009

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Particle density - gas jar	BS 1377:Part 2:1990	A
	Particle size distribution - wet sieving	BS 1377:Part 2:1990	A
	Particle size distribution - dry sieving	BS 1377:Part 2:1990	A
	California Bearing Ratio (CBR)	BS 1377:Part 4:1990	A
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377:Part 4:1990	A
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377:Part 4:1990	A
	Dry/density/moisture content relationship (vibrating hammer)	BS 1377:Part 4:1990	A
	Moisture condition value (MCV)	BS 1377:Part 4:1990	A & B
	In-situ density - core cutter method	BS 1377:Part 9:1990	B
In-situ density - nuclear gauge method	BS 1377:Part 9:1990	B	
END			